

GENERAL NOTES

1. GENERAL NOTES AND LEGEND ON THIS SHEET REFER THIS SHEET ONLY.
2. SEE THE STRUCTURAL, MECHANICAL, AND ELECTRICAL DRAWINGS FOR ADDITIONAL INFORMATION.
3. ALL EXISTING LIGHTING FIXTURES TO BE REMOVED AND RE-INSTALLED ON ALL CEILING AREAS WHERE WORK IS TO BE DONE, SEE THE ELECTRICAL DRAWINGS.
4. SEE DIMENSION/REFERENCE PLANS FOR WALL CONSTRUCTION AND OTHER MECHANICAL/ELECTRICAL COORDINATION ITEMS.
5. FIRE SPRINKLER HEADS NOT SHOWN FOR CLARITY, FIELD VERIFY.

REFLECTED CEILING LEGEND

- EXISTING ITEMS TO REMAIN, SEE OTHER SHEETS FOR SALVAGED/RELOCATED ITEMS
- EXISTING LEVEL 5 FINISH 5/8" NON-SAG GYPSUM BOARD CEILING/SOFFIT/HEADER.
- 5/8" NON-SAG GYPSUM BOARD CEILING/SOFFIT/HEADER, PAINT P1


- LIGHT FIXTURES, SEE ELECTRICAL DRAWINGS
- EXIT/EGRESS COMBO DEVICES, SEE ELECTRICAL DRAWINGS
- EMERGENCY LIGHTING, SEE ELECTRICAL DRAWINGS
- SUPPLY AIR GRILLE, SEE MECHANICAL DRAWINGS
- RETURN AIR GRILLE, SEE MECHANICAL DRAWINGS
- EXHAUST GRILLE, SEE MECHANICAL DRAWINGS
- STRUCT - INSTALL CEILING AT BOTTOM OF STRUCTURE ABOVE
- OPEN - OPEN TO STRUCTURE, NO FINISH, UNLESS NOTED OTHERWISE

KEYNOTES


1. CEILING CONSTRUCTION ENTIRE ROOM: 6" SOUND BATT INSULATION IN EXISTING CEILING JOISTS, RESILIENT FURRING CHANNEL @ 24" O.C. APPLIED AT RIGHT ANGLES TO CEILING JOISTS AND 5/8" GYPSUM BOARD, PAINT COLOR P1
2. CEILING REPAIR CONSTRUCTION/SOFFIT CONSTRUCTION: VERIFY EXTENTS WITH ABOVE CEILING MECHANICAL WORK: 2 1/2" SUSPENDED MAINS @ 4'-0" O.C. WITH 6" ACOUSTIC INSULATION, 7/8" HAT CHANNEL @ 16" O.C. PERPENDICULAR TO MAINS, 5/8" GYPSUM BOARD, PAINT P1 (ALIGN FINISH WITH EXISTING CEILING)
3. EXPOSED PLUMBING AND FIRE PROTECTION NOT SHOWN, FIELD VERIFY

ALTERNATE #6 REFLECTED CEILING PLAN

SCALE: 1/4" = 1'-0"



OLD STONEY REMODEL  
PHASE TWO  
120 NORTH 4TH STREET  
SUNDANCE, WYOMING 82729



PROJECT NUMBER  
16-022

DATE  
06-30-25

DRAWN BY  
CB

DISK ID.

SHEET TITLE  
ALTERNATE #6  
BASEMENT  
REFLECTED  
CEILING PLAN

SHEET NUMBER

3.21